



OAK YARROW

Oak Yarrow has a very light stain applied which lightens the tone of the natural oak boards and gives them a luminescent golden touch. The oiled surface is also brushed to soften the cracks and knots, this allows each board to show the natural grain of the oak whilst still retaining its subtlety to the touch, and aesthetically.

PRODUCT DETAILS

Article Number	131245220
EAN Code	7393969302470
Surface Treatment	Oil This floor should be oiled immediately after installation.
Refining Treatment	Microbevelled 4-sided, Brushed
Dimensions	187 x 2266 mm
Weight per Package	24.4 kg
Area per Package	3.39 m ²
Area per pallet	152.55 m ²
Package info	Packages may contain start and stop boards.

DETAIL DESCRIPTION

All naturally occurring wood colour variations allowed, from light to dark brown. The product includes large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.

FACTS

Wood Species	Oak
Design	1-strip
Grading	Dynamic
Range	Kährs Wood Classic
Collection	Flora Collection
Natural/Stained	Stained
Brinell Value	3,7
Joint	Woodloc® 5G
Floor heating	Yes
Wear-layer material	Hardwood
Wear Layer Thickness	2.6 mm
Core material	Pine/Spruce lamella
Backside material	Spruce
	13 mm
Installation method	Floating, Glue-down
LRV	36

TECHNICAL PROPERTIES

Moisture content	EN13183	7%±2%
Minimum Mean Density kg/m³	>500 kg/m ³	
Reaction To Fire	EN13501-1	Dfl-s1
Formaldehyde Emission	EN717-1	E1
Content PCP	CEN/TR14823	≤ 5 x 10 ⁻⁶ n
Breaking Strength N/mm²	EN1533	NPD
Thermal Conductivity	EN12664	0,14 W/mK
Thermal Resistance R-Value	.09 (m2K/W)	
Biological Durability	EN350-2	Class 1
CARB2	Compliant	
Slipperiness	CEN/TS15676	NPD

Other products in this collection



OAK GENTIAN



OAK EDELWEISS



OAK ASTER



OAK YARROW

CERTIFICATES



Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.