



## OAK EDELWEISS

With a transparent white-wash, Oak Edelweiss gives the impression of newly sawn oak allowing the white, translucent tint to soften the contrast of the knots and cracks against the fresh oak. The wood grain is further accentuated by the brushed surface, adding a softness and slight texture to the surface.

### PRODUCT DETAILS

<b>Article Number</b>	131247220
<b>EAN Code</b>	7393969302517
<b>Surface Treatment</b>	Oil This floor should be oiled immediately after installation.
<b>Refining Treatment</b>	Microbevelled 4-sided, Brushed
<b>Dimensions</b>	187 x 2266 mm
<b>Weight per Package</b>	24.4 kg
<b>Area per Package</b>	3.39 m <sup>2</sup>
<b>Area per pallet</b>	152.55 m <sup>2</sup>
<b>Package info</b>	Packages may contain start and stop boards.


### FACTS

<b>Wood Species</b>	Oak
<b>Design</b>	1-strip
<b>Grading</b>	Dynamic
<b>Range</b>	Kährs Wood Classic
<b>Collection</b>	Flora Collection
<b>Natural/Stained</b>	Stained
<b>Brinell Value</b>	3,7
<b>Joint</b>	Woodloc® 5G
<b>Floor heating</b>	Yes
<b>Wear-layer material</b>	Hardwood
<b>Wear Layer Thickness</b>	2.6 mm
<b>Core material</b>	Pine/Spruce lamella
<b>Backside material</b>	Spruce 13 mm
<b>Installation method</b>	Floating, Glue-down
<b>LRV</b>	41


### TECHNICAL PROPERTIES

<b>Moisture content</b>	EN13183	7%±2%
<b>Minimum Mean Density kg/m<sup>3</sup></b>	>500 kg/m <sup>3</sup>	
<b>Reaction To Fire</b>	EN13501-1	Dfl-s1
<b>Formaldehyde Emission</b>	EN717-1	E1
<b>Content PCP</b>	CEN/TR14823	≤ 5 x 10 <sup>-6</sup> n
<b>Breaking Strength N/mm<sup>2</sup></b>	EN1533	NPD
<b>Thermal Conductivity</b>	EN12664	0,14 W/mK
<b>Thermal Resistance R-Value</b>	.09 (m <sup>2</sup> K/W)	
<b>Biological Durability</b>	EN350-2	Class 1
<b>CARB2</b>	Compliant	
<b>Slipperiness</b>	CEN/TS15676	NPD


## Other products in this collection



OAK GENTIAN



OAK EDELWEISS



OAK ASTER



OAK YARROW

## CERTIFICATES

---



## Descriptions & Imagery

*All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.*